



VIPER PEROXIBLAST POWDER

Peroxide Activated Alkaline Concrete, Tile & Grout Cleaner/Degreaser

X Grout X Quarry Tile X Saltillo

X Concrete X Ceramic Tile X Porcelain Tile

X = Primary Use ✓ = Secondary Use



HYDRO-FORCE™

7.5 Pounds (3.4 Kilograms)

- Special blend of surfactants to attack particulate soil
- Combination of solvents and alkalinity to break down oily soil build up
- Formulated with oxygen booster

DIRECTIONS FOR USE:

Read entire label before using. Use only as directed. Always pretest surface with cleaning solution for colorfastness prior to cleaning. Ensure work area is well-ventilated. Keep children and pets out of the area during application and drying. This product is not for use on natural stone. For best results, use mixed solution within two hours.

1. For normal soiling, mix 2 ounces of powder with one gallon of warm or hot water into a professional sprayer. For extreme soiling, mix three to four ounces of powder with a gallon of warm hot water into a professional sprayer. For application through a Hydro-Force Inline Injection Sprayer, mix 12 oz. of powder and fill container with water. Use 4:1 dilution.
2. Apply mixed solution with sprayer evenly and liberally across surface to be cleaned. If preferred, you can apply mixed solution with a damp mop, sponge, or other appropriate professional equipment. If using a mop for solution application and surface cleaning, change your mop water often to make sure that soil is not

redeposited. If extra agitation is needed, it can also be applied through a shampoo tank of rotary scrubber utilizing appropriate brush or pad.

3. Allow for 5 -10 minutes of dwell time. For concrete, if there are stains that have been deeply absorbed, allow 15 minutes of dwell time so the solution has time to reach into the concrete pores and crevices and the oxygen activated effervescent solution can dissolve the soiling and lighten discoloration through bleaching action.
4. For best results, agitate and rinse cleaning solution using warm or hot water and a rotary agitation surface cleaner such as a Hydro-Force SX-15, SX-12 or SX-7. For tight spaces or especially sensitive surfaces, use the Hydro-Force Gekko Hard Surface Extraction Tool, or simply mop to rinse with clean warm or hot water.
5. Allow to dry. Accelerate drying with air mover like the Hydro-Force Air King or OmniPro OmniDry air mover.

CONTAINS

Sodium Carbonate (CAS# 497-19-8), Sodium Percarbonate (CAS# 15630-89-4), Sodium Metasilicate, (CAS# 6834-92-0), Trisodium Phosphate (CAS# 7601-54-9), Propetary Surfactant Blend, Glycol Ether PnB (CAS# 5131-66-8), Pine Fragrance.

IMPORTANT NOTICE TO PURCHASER: Seller's and manufacturer's liability for any and all losses or damages resulting from any cause whatsoever shall in no event exceed the purchase price of this product, with respect to which losses or damages are claimed. Before using, the user shall determine the suitability of this product for its intended use, and user assumes all risk and liability whatsoever in connection therewith. Go to www.hydroforce.com/sds for additional safety, regulatory and liability information.

VIPER PEROXIBLAST POWDER




May cause skin and eye irritation. Avoid contact with skin and eyes. In case of contact, immediately flush with plenty of water, seek medical advice if irritation persists.

Susceptible d'irriter la peau et les yeux. Évitez tout contact avec la peau et les yeux. S'il y a contact, lavez-vous immédiatement à la grande eau. Consultez un médecin si l'irritation se fait persistante.

SEE SAFETY DATA SHEET
VOIR LA FICHE SIGNALÉTIQUE

See Safety Data Sheet (SDS):
www.hydroforce.com/sds
for additional safety and regulatory information.

Another fine product from Hydro-Force Manufacturing
4282 South 590 West, Salt Lake City, UT 84123
www.hydroforce.com



CAUTION!!



Keep out of reach of children.

HAZARD STATEMENTS:

May cause fire or explosion; Strong Oxidizer. May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause respiratory irritation. Very toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS:

Take precautionary measures against static discharge. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

PRECAUCIÓN!!



Mantener fuera del alcance de los niños.

INDICACIONES DE PELIGRO:

Puede causar fuego o explosión; oxidante fuerte. Puede ser corrosivo para los metales. Dañino si ingerido. Causa quemaduras severas en la piel y daño a los ojos. Puede causar una reacción alérgica en la piel. Puede causar irritación respiratoria. Muy tóxico para los organismos acuáticos, con efectos nocivos duraderos.

DECLARACIONES DE PRECAUCIÓN:

Tomar medidas de precaución contra las descargas electrostáticas. Evitar emisión al medio ambiente. Usar guantes, ropa, lentes y mascarillas de protección. Si es ingerido: Enjuagar boca. No induzca vomito.