



SPOTTER
 RTU pH N/A
 Use Straight
 Extreme Performance
 Gelled Solvent
 Ink, Oil, and Paint
 Remover

SpotMaster Gel XP™

Gelled Solvent Oil Based Spot & Stain Remover

Gelled solvent-soluble spot and stain remover for inks, markers, paint, nail polish and more.



If for any reason you are not thrilled with the performance of SpotMaster Gel XP return it to your distributor and we'll get you a product that does.



CleanMaster has formulated the solvent soluble spot and stain removing power of a volatile solvent, non-volatile solvent, and POG into one specialized thickened, gelled solution with **SpotMaster Gel XP**. The gelled solution sits on the spot rather than immediately absorbing down into the carpet like a typical solvent spotter does. This keeps the spotting action on the spot or stain where it belongs and reduces your chances of causing any delamination. **SpotMaster Gel XP** is designed to effectively remove or lighten all kinds of stain causing inks (ballpoint, duplicating, ink jet, stamp pad, permanent marker, and more) along with latex, enamel, spray, and other types of paints. It can also be used effectively to break down hardened and oxidized grease and oil spills, and to remove or lighten stains caused by shoe polish, nail polish, cosmetics, and tar. Working in conjunction with **CleanMaster SpotMaster Pro XP**, **SpotMaster Gel XP** finishes the one-two punch often needed for problematic oil based stain removal. For gum and adhesive removal, **CleanMaster OJ** is recommended. **SpotMaster Gel XP** is formulated to be in compliance with the latest VOC emission regulations, and is fast acting, stays on the surface of the spot, and is safe on most natural and synthetic fibers (Do not use on acetate upholstery fibers).

Directions:

1. Always pre-test all cleaning solutions in an inconspicuous area for colorfastness prior to application.
2. Remove any excess contamination before applying spotter. For spilled liquids, blot or extract up. For encrusted materials, use your spotting spatula to remove as much of the material as possible.
3. Poke holes in the top of the material with the sharp end of a spotting spatula. Apply **SpotMaster Gel XP** straight to the spot or stain using your flip top applicator, keeping the gelled material on top of the spot or stain.
4. Allow to dwell 2-3 minutes.
5. Agitate solution into the contaminated area with your spotting spatula or tool.
6. Blot up as much of the stain as possible with a colorfast, cotton, absorbent towel. Consider using a tamping brush with towel to force as much of the material as possible into the towel. Repeat process so long as color transfer into absorbent towel is obvious.
7. Rinse with water and blot up or extract area thoroughly.
8. **SpotMaster Gel XP** will effectively eliminate most solvent and oil based spots and spills. If discoloration remains, apply KnockOut 1 according to directions.

Important notice to purchaser: Before using, the user shall determine the suitability of this product for its intended use, and user assumes all risk and liability whatsoever in conjunction therewith. The user should thoroughly review the material safety data sheet for this product and follow recommendations for mixing, application, disposal, and the use of any applicable personal protective equipment (PPE). The manufacturer, distributor, and seller of this product warrant that the chemical contained herein conforms to its standard specifications. Seller's and manufacturer's liability for any and all losses or damages resulting from any cause whatsoever shall in no event exceed the purchase price of this product, with respect to which losses or damages are claimed. The manufacturer and seller make no representation or warranty, including merchantability or any other kind, expressed or implied. The foregoing may not be altered except by written agreement by officers of the manufacturer.

Precautions and First Aid:
 Keep out of reach of children. Contact may cause skin and eye irritation. Wear gloves and safety glasses when handling to avoid any contact with eyes and contact with skin in concentrate form. Use only in well ventilated areas. In case of eye contact, immediately flush with plenty of water. If irritation persists, seek medical attention. In case of skin irritation, flush with plenty of water. If ingested, drink large quantities of water and seek medical attention. Remove to fresh air in case of inhalation. See Material Safety Data Sheet (MSDS): www.hydramaster.com/msds for additional safety and regulatory information.



Precauciones y Primeros Auxilios:
 Mantener fuera del alcance de los niños. El contacto puede causar irritación cutánea y ocular. Use guantes y gafas de seguridad cuando manipule para evitar cualquier contacto con los ojos y el contacto con la piel en forma de concentrado. Usar sólo en áreas bien ventiladas. En caso de contacto con los ojos, lávelos inmediatamente con abundante agua. Si la irritación persiste, busque atención médica. En caso de irritación de la piel, lavar con abundante agua. Si se ingiere, beba grandes cantidades de agua y buscar atención médica. Trasladar al aire fresco en caso de inhalación.

Contents: Acetone (67-64-1), Isopropanol (67-63-0), Glycol ether DB (112-34-5), proprietary thickening agent



HydraMaster
www.hydramaster.com
 425.775.7272
 Part # 950-251-S Art 950-251-S R1

Lot:
 Net Contents: One U.S. Quart (.9463 liters)

